


GEBERIT INSTALLATION SYSTEMS

Systems for Wall-Hung Toilets, 2x4 Installation

Geberit Duofix Carrier, Sigma 2x4 Installation

Model No.	Description	List Price \$
111.798.00.1	Carrier frame with 1.6/0.8 GPF Sigma Concealed Tank	760.00
111.597.00.1	Carrier frame with 1.28/0.8 GPF Sigma Concealed Tank	760.00



NOTES:

1. Concealed tank shipped dual-flush ready
2. Geberit Duofix Carrier for 2-hole washdown style wall-hung toilet fixtures only
3. Refer to geberit.us for latest list of Code approved Compatible toilet fixtures, including certified WaterSense® combinations

Note: For System Accessories see pages 26-28.

Dual-Flush Actuators, Sigma 2x4 Installation

Style	Material	Finish	Model No.	List Price \$
	Plastic	Alpine White	115.770.11.5	104.00
		Polished Chrome	115.770.21.5	143.00
		Matte Chrome	115.770.JQ.5	143.00
		Brass Galvanized NEW!	115.770.DT.5	456.00
		Jet Black NEW!	115.770.DW.5	126.00
	Stainless	Brushed Nickel-Polished Nickel-Brushed Nickel*	115.882.ID.1	294.00
		Brushed Stainless Steel-Polished Stainless Steel-Brushed Stainless Steel*	115.882.SN.1	295.00
		Brushed Nickel-Polished Nickel-Brushed Nickel* Vandal Resistant	115.889.ID.1	343.00
		Brushed Stainless Steel-Polished Stainless Steel-Brushed Stainless Steel* Vandal Resistant	115.889.SN.1	343.00
		Plastic	White Matte Coated-White NEW!	115.882.01.1
		White-Matte White NEW!	115.882.11.1	152.00
		Matte Black-Polished Chrome-Matte Black*	115.882.14.1	261.00
		Black Matte Coated-Black NEW!	115.882.16.1	261.00
		Black-Matte Black NEW!	115.882.DW.1	187.00
		Matte Chrome-Polished Chrome-Matte Chrome*	115.882.JQ.1	284.00
	Matte White-Polished Chrome-Matte White*	115.882.JT.1	261.00	
	Polished Chrome-Matte Chrome-Polished Chrome*	115.882.KH.1	219.00	
	White-Polished Chrome-White*	115.882.KJ.1	152.00	
	White-Polished Gold-White*	115.882.KK.1	422.00	
	Black-Polished Chrome-Black*	115.882.KM.1	187.00	

Dual-Flush Actuators, Sigma 2x4 Installation (continued)

Style	Material	Finish	Model No.	List Price \$	
	Zinc PVD	Customizable	115.650.00.1	724.00	
		Red	115.650.JM.1	905.00	
		Gold	115.650.JV.1	905.00	
		Color	Concrete Look	115.650.JX.1	1,234.00
		NEW!	Black Walnut	115.650.SL.1	795.00
		White	115.650.SJ.1	795.00	
		Black	115.651.00.1	724.00	
		Black	115.651.JM.1	905.00	
		Chrome	Concrete Look	115.651.JV.1	905.00
		NEW!	Black Walnut	115.651.JX.1	1,234.00
		White	115.651.SL.1	795.00	
		Black	115.651.SJ.1	795.00	
	Zinc PVD	Customizable	115.652.00.1	724.00	
	Brass	Mustang Slate	115.652.JM.1	905.00	
	Color	Concrete Look	115.652.JV.1	905.00	
	NEW!	Black Walnut	115.652.JX.1	1,234.00	
		White	115.652.SL.1	795.00	
		Black	115.652.SJ.1	795.00	
	Zinc	Camel NEW!	115.761.00.4	552.00	
	Chrome	Beige NEW!	115.761.00.5	552.00	
	Color	Grey Linen NEW!	115.761.00.6	552.00	
		Dark Rock NEW!	115.761.00.7	552.00	
		Concrete Look NEW!	115.884.JV.1	552.00	
		Black Walnut NEW!	115.884.JX.1	867.00	
		Customer supplied overlay	115.884.00.1	434.00	
		Lava Glass NEW!	115.884.JK.1	558.00	
		Grey Sand Glass NEW!	115.884.JL.1	558.00	
		Mustang Slate	115.884.JM.1	558.00	
		White Glass	115.884.SL.1	558.00	
		Black Glass	115.884.SJ.1	558.00	
	Plastic	White Matte Coated-Coated-White NEW!	115.883.01.1	289.00	
		White-Matte White NEW!	115.883.11.1	176.00	
		Matte Black-Polished Chrome-Matte Black***	115.883.14.1	289.00	
		Black Matte Coated-Black NEW!	115.883.16.1	289.00	
		Black-Matte Black NEW!	115.883.DW.1	198.00	
		Matte Chrome-Polished Chrome-Matte Chrome***	115.883.JQ.1	302.00	
		Matte White-Polished Chrome-Matte White***	115.883.JT.1	289.00	
	Polished Chrome-Matte Chrome-Polished Chrome***	115.883.KH.1	246.00		
	White-Polished Chrome-White***	115.883.KJ.1	154.00		
	White-Polished Gold-White***	115.883.KK.1	198.00		
	Black-Polished Chrome-Black***	115.883.KM.1	198.00		
	Zinc PVD	Customizable	115.670.00.2	724.00	
		Red	115.670.11.2	724.00	
		Gold	115.670.DW.2	724.00	
		Color	Mustang Slate	115.670.JM.2	905.00
		NEW!	Concrete Look	115.670.JV.2	905.00
		Black Walnut	115.670.JX.2	1,234.00	
		Zinc PVD	Customizable	115.671.00.2	724.00
		Black	White	115.671.11.2	724.00
		Chrome	Black	115.671.DW.2	724.00
		Color	Mustang Slate	115.671.JM.2	905.00
	NEW!	Concrete Look	115.671.JV.2	905.00	
		Black Walnut	115.671.JX.2	1,234.00	

Products marked with  comply with the American Disabilities Act (ADA) when installed per the requirements of the latest ADA Accessibility Guidelines (ADAAG) and/or ICC/ANSI A117.1.

The information contained in this document is subject to change without notice.

Dual-Flush Actuators, Sigma 2x4 Installation

Style	Material	Finish	Model No.	List Price \$		
	Zinc PVD Brass Color NEW!	Customizable	115.672.00.2	724.00		
		White	115.672.11.2	724.00		
		Black	115.672.DW.2	724.00		
		Mustang Slate	115.672.JM.2	905.00		
		Concrete Look	115.672.JV.2	905.00		
	Zinc Chrome Color	Black Walnut	115.672.JX.2	1,234.00		
		Concrete Look NEW!	115.788.JV.2	552.00		
		Black Walnut NEW!	115.788.JX.2	867.00		
		Customizable	115.788.00.2	434.00		
		White	115.788.11.2	434.00		
		Bright Chrome	115.788.21.2	558.00		
		Black	115.788.DW.2	434.00		
		Brushed Chrome	115.788.GH.2	558.00		
		Lava Glass NEW!	115.788.JK.2	558.00		
		Grey Sand Glass NEW!	115.788.JL.2	558.00		
		Mustang Slate	115.788.JM.2	558.00		
Smoked Glass	115.788.SD.2	558.00				
	Zinc Glass	Brushed Chrome	115.640.GH.1	731.00		
		Lava Glass NEW!	115.640.JK.1	731.00		
		Grey Sand Glass NEW!	115.640.JL.1	731.00		
		White Glass	115.640.SI.1	731.00		
		Black Glass	115.640.SJ.1	731.00		
		Rough-in set (included)	243.168.00.1	18.00		
		Cover frame (optional accessory) Polished Chrome	115.641.21.1	197.00		
		Cover frame (optional accessory) Brushed Chrome	115.641.GH.1	197.00		
			Plastic Stainless Glass	Customizable	115.625.00.1	619.00
				Brushed Stainless Steel	115.625.FW.1	820.00
Lava Glass NEW!	115.625.JK.1			724.00		
Grey Sand Glass NEW!	115.625.JL.1			724.00		
White Glass	115.625.SI.1			724.00		
		Black Glass	115.625.SJ.1	724.00		

Single-Flush Actuators, Sigma 2x4 Installation

Style	Material	Finish	Model No.	List Price \$		
	Stainless	Matte Black-Polished Chrome-Matte Black*	115.758.14.5	409.00		
		Matte White-Polished Chrome-Matte White*	115.758.JT.5	409.00		
		Brushed Stainless Steel-Polished Stainless Steel-Brushed Stainless Steel*	115.758.SN.5	299.00		
		Brushed Stainless Steel-Polished Stainless Steel-Brushed Stainless Steel*	115.787.SN.5	339.00		
		Vandal Resistant				
		Plastic	Polished Chrome-Matte Chrome-Polished Chrome*	115.758.KH.5	219.00	
			White-Polished Chrome-White*	115.758.KJ.5	153.00	
			White-Polished Gold-White*	115.758.KK.5	435.00	
			Black-Polished Chrome-Black*	115.758.KM.5	187.00	
			Matte Chrome-Polished Chrome-Matte Chrome*	115.758.JQ.5	219.00	
			Zinc	Matte Black-Polished Chrome-Matte Black***	115.893.14.1	390.00
				Matte White-Polished Chrome-Matte White***	115.893.JT.1	390.00
				Polished Gold***	115.893.45.1	3,157.00
				White-Polished Chrome-White***	115.893.KJ.1	290.00
				Brushed Chrome-Polished Chrome-Brushed Chrome***	115.893.KX.1	427.00
Polished Chrome-Brushed Chrome-Polished Chrome***	115.893.KY.1			427.00		

Dual-Flush Hands-Free Actuators and Transformer, Sigma 2x4 Installation

Style	Material	Finish	Model No.	List Price \$	
	Stainless	Brushed Stainless Steel-Polished Stainless Steel-Brushed Stainless Steel* Vandal Resistant (AC Power with manual override)	115.856.SN.1	1025.00	
		Brushed Stainless Steel-Polished Stainless Steel-Brushed Stainless Steel* Vandal Resistant (AC Power with manual override)	CR115-6SN1	1056.00	
		Required Transformer for AC powered hands-free actuator (order separately)	115.861.00.1	175.00	
	Plastic NEW!	Polished Chrome-Matte Chrome* (AC Power)	CR115-7KH1	836.00	
		White-Polished Chrome* (AC Power)	CR115-7KJ1	836.00	
		White-Polished Gold* (AC Power)	CR115-7KK1	836.00	
		White-Matte Chrome* (AC Power)	CR115-7KL1	836.00	
		Black-Polished Chrome* (AC Power)	CR115-7KM1	836.00	
		Matte Chrome-Polished Chrome* (AC Power)	CR115-7KN1	836.00	
		Stainless	Brushed Stainless Steel-Polished Stainless Steel* (AC Power)	CR115-7SN1	897.00
			Required Transformer for AC powered hands-free actuator (order separately)	115.861.00.1	175.00
		Plastic NEW!	Polished Chrome-Matte Chrome* (Battery)	CR115-8KH1	860.00
			White-Polished Chrome* (Battery)	CR115-8KJ1	860.00
			White-Polished Gold* (Battery)	CR115-8KK1	860.00
White-Matte Chrome* (Battery)	CR115-8KL1		860.00		
Black-Polished Chrome* (Battery)	CR115-8KM1		860.00		
Matte Chrome-Polished Chrome* (Battery)	CR115-8KN1		860.00		
Stainless	Brushed Stainless Steel-Polished Stainless Steel* (Battery)	CR115-8SN1	922.00		
	Glass	Black (AC Power)	116.092.SG.1	1,713.00	
		Mirror (AC Power)	116.092.SM.1	1,713.00	
		Note: Sigma80 not recommended for bidet seat applications			
		Required Transformer for AC powered hands-free actuator (order separately)	115.861.00.1	175.00	
		Extension mains cable (optional accessory for Sigma10 and Sigma80) length 78-3/4" (2 m)	241.831.00.1	84.00	

Remote Programming Accessory for Hands-Free Actuators

	"Service Handy" remote programming device for Geberit touch-free devices	115.860.00.1	411.00
---	---	--------------	--------

* Finishes follow this pattern = Plate-Ring-Button

** Finishes follow this pattern = Frame-Button

***Finishes follow this pattern = Frame-Button Edge Trim-Button

† Note: For tile, stone or other hard surfaced walls only!

‡ Not intended to be sold in California with 1.6 GPF units

Products marked with  comply with the American Disabilities Act (ADA) when installed per the requirements of the latest ADA Accessibility Guidelines (ADAAG) and/or ICC/ANSI A117.1.

The information contained in this document is subject to change without notice.

GEBERIT INSTALLATION SYSTEMS

Systems for Wall-Hung Toilets, 2x4 Installation

Dual-Flush Buttons for Concealed Installations, Sigma 2x4 Installation

Type 01 	Plastic	Alpine White	116.043.11.1	139.00
		Polished Chrome	116.043.21.1	181.00
Type 10 	Plastic	Alpine White 	116.045.11.1	139.00
		Matte Chrome-Polished Chrome**	116.056.KH.1	198.00
Polished Chrome-White**		116.056.KJ.1	181.00	
Type 70 	Stainless	Brushed Stainless Steel 	115.635.FW.1	923.00
		Glass	Lava Glass NEW!	115.635.JK.1
	Glass	Grey Sand Glass NEW!	115.635.JL.1	785.00
		White Glass 	115.635.SI.1	785.00
		Black Glass 	115.635.SJ.1	785.00
Rectangle 	Plastic	Polished Chrome-Matte Chrome NEW!	116.053.KA.1	181.00
		Black-Chrome NEW!	116.053.KV.1	181.00
	Zinc	Brushed Chrome NEW!	116.053.GH.1	313.00
Rectangle 	Plastic	Polished Chrome NEW!	116.054.21.1	181.00

Single-Flush Buttons for Concealed Installations, Sigma 2x4 Installation

Style	Material	Finish	Model No.	List Price \$
Type 01† 	Plastic	Alpine White	116.041.11.1	119.00
		Polished Chrome	116.041.21.1	139.00

Extension Hoses for Flush Button Installations

(For Flush Buttons located beyond 6' from carrier)

	Double pneumatic hose for dual-flush 78.74" (2 m) (Blue/Clear for Type01/Type10/Rectangle)	240.575.00.1	10.00
	Double pneumatic hose, 78.74" (2 m), dual-flush (Green/Clear for Type70)	243.297.00.1	10.00
	Pneumatic hose 137.80" (3.5 m) for single flush	256.000.00.1	9.00

Cover Plates for Concealed Tank, Sigma 2x4 Installation, for use with Flush Buttons

	Glass	White	115.766.SI.1	243.00
		Stainless	Brushed Stainless Steel Vandal Resistant	115.764.FW.1
	Plastic	Customizable	115.766.00.1	194.00
	Plastic	Alpine White	115.768.11.1	85.00
		Polished Chrome	115.768.21.1	111.00
		Matte Chrome	115.768.46.1	111.00

Surface Even Cover Plates for Sigma Concealed Tank, 2x4 Installation, for use with Flush Buttons

	Plastic	Customizable†	115.696.00.1	243.00
		Customizable with frame‡	115.697.00.1	306.00
Note: Required accessory kit 243.168.00.1 is included with 111.597.00.1 and 111.798.00.1 carrier.				

* Finishes follow this pattern = Plate-Ring-Button

** Finishes follow this pattern = Frame-Button

***Finishes follow this pattern = Frame-Button Edge Trim-Button

† Note: For tile, stone or other hard surfaced walls only!


‡ Not intended to be sold in California with 1.6 GPF units

The information contained in this document is subject to change without notice.

Geberit Duofix Carrier 111.798.00.1 and 111.597.00.1, Sigma 2x4 Installation

Item	Model No.	Description	List Price \$
1	242.314.00.1	Materials for Concealed Carrier and Tank installation	66.00
2	242.418.00.1	Splash guard protection cover for Sigma Concealed Tank 2x4	10.00
3	243.345.00.1 or 243.168.00.1	Mud guard protection housing for Sigma Concealed Tank 2x4, plastic	18.00
4	362.771.00.1	Seal for concealed flush pipe, EPDM	4.00
5	362.796.92.1	Protection plug, plastic	7.00
6	240.189.00.1	Threaded rod for wall-mounted toilet or bidet installation	6.00
7	152.404.46.1	Connector set with mounting hardware (bowl installation kit), HDPE; Matte Chrome cover caps	50.00
7	152.404.11.1	Connector set with mounting hardware (bowl installation kit), HDPE; Matte White cover caps (accessory only)	50.00
7.1	217.713.46.1	Cover caps with leveling washer, plastic, Matte Chrome	8.00
7.2	119.668.00.1	Seal for supply inlet tube, EPDM	4.00
7.3	152.424.00.1	Seal for toilet outlet connector, EPDM	6.00
8	241.899.00.1	HDPE waste fitting outlet bend, 1 x 90° bend with socket for Ø3.50" (Ø90 mm) push fit piping and Ø3.50" (Ø90 mm) outlet	70.00
8.1	387.282.00.1	Seal for outlet bends, EPDM	6.00
9	366.820.92.1	Protection plug, plastic	5.00
10	—	Flexible coupling FERNCO 3005-33	—
11	242.012.00.1	Outlet pipe bracket (complete)	7.00
12	242.886.00.1	Conduit pipe for shower toilet water supply with Sigma Concealed Tank 2x4 (from mid-2013 on)	14.00
13	216.179.00.1	Installation hardware	5.00
14	240.851.00.1	Drop ear elbow, copper	15.00


Item	Model No.	Description	List Price \$
15	243.175.00.1	Connection hose for Sigma Concealed Tank 2x4, 3/8"	27.00
15	243.357.00.1	Connection hose for Sigma Concealed Tank 2x4, 3/8" - for salt water applications	35.00
15.1	240.922.00.1	Set of seals for RFB hose	5.00
16	243.279.00.1	Fixation clip for filling valve	6.00
17	241.469.00.1	Filling valve Type 380 for Sigma, Omega and Kappa Concealed Tanks	32.00
17.1	240.771.00.1	Seal kit for filling valve Type 380	12.00
17.2	241.670.00.1	Nipple to filling valve Type 380 for Sigma Concealed Tank 2x4	20.00
18A	243.727.00.1	1.28/0.8 GPF dual-flush valve for Sigma Concealed Tank 2x4 (111.597)	18.00
18B	241.290.00.1	Dual-flush valve for 1.6/0.8 GPF Sigma Concealed Tank 2x4 (111.728/111.798)	36.00
18.1	241.167.00.1	Yoke set for flush valves	12.00
18.2	241.291.00.1	Flat gasket for flush valve for Sigma Concealed Tank 2x4	4.00
18.3	241.292.00.1	Fixing rail to Sigma Concealed Tank 2x4	6.00
19	242.269.00.1	Valve seat basket and noise bushing for flush valve	18.00
19.1	241.293.00.1	U-cup seal for valve basket	5.00
20	243.344.00.1	Flush actuator gear box	18.00
21	240.847.00.1	Stop valve to concealed tank (blue handle - for salt water applications)	34.00
21	242.414.00.1	Stop valve to concealed tank (blue handle)	19.00
21.1	240.298.00.1	Spindle to angle stop valve	18.00
21.2	240.347.00.1	Handle for angle stop valve (blue)	6.00
22	111.892.00.1	Frame mounting screws for steel stud construction, galvanized, self-tapping	7.00
23	244.125.00.1	Foot plate set	17.00



The information contained in this document is subject to change without notice.

GEBERIT SYSTEM ACCESSORIES

Geberit Optional and Required Accessories for Installation



Description	Model Number	List Price \$	111.335	111.798	111.012						109.304		
			111.902	111.597	111.018	111.520	111.524	111.490	111.625	109.307	109.797		


OPTIONAL Connection Sets and Accessories for Finished Walls up to 3.5" (9cm) Thick

	PE syphon trap with horizontal outlet and seal; Ø1.96" (Ø50 mm) outlet	152.950.11.1	40.00										✓		
	PE syphon trap with vertical outlet and seal; Ø1.97" (Ø50 mm) outlet	152.951.11.1	40.00										✓		
	Acoustic insulation set for wall-hung toilets and bidets	156.050.00.1	21.00	✓	✓	✓	✓	✓							
	Cover caps with leveling washer, plastic, Alpine White	217.713.11.1	10.00	✓	✓	✓	✓	✓	✓						
	HDPE connection set with 1" (2.5 cm) offset and mounting hardware (bowl installation kit); with socket for Ø3.50" (Ø90 mm) push fit piping and Ø55 supply inlet; Matte Chrome cover caps	405.116.00.1	252.00	✓	✓	✓								✓	✓

REQUIRED Connection Sets and Accessories for Finished Walls 3.5" - 7.0" (9-18cm) Thick

	HDPE Connector set for extended installation and mounting hardware (bowl installation kit), with socket for Ø3.50" (Ø90 mm) push fit piping and Ø2.16" (Ø55 mm) supply inlet; Matte Chrome cover caps	152.438.46.1	63.00	✓	✓	✓								✓	✓
	Extension set for actuator plates for Sigma Concealed Tanks 2x6 and 2x4, Kappa and Omega Concealed Tanks	240.938.00.1	28.00	✓	✓	✓								✓	✓
	Mud guard protection housing for Sigma Concealed Tanks 2x6 and 2x4, plastic, 4 inch (10 cm)	241.826.00.1	15.00	✓	✓									✓	✓
	Mud guard protection housing and extension set for urinal carrier	241.930.00.1	22.00										✓		
	Mounting rod M12 x 10" long. Not supplied.	M12 x 10"	—	✓	✓	✓	✓	✓							
	Mounting rod M10 x 10" long. Not supplied.	M10 x 10"	—							✓					
	Mounting rod M8 x 10" long. Not supplied.	M8 x 10"	—									✓			

The information contained in this document is subject to change without notice.



Description	Model Number	List Price \$	111.335	111.798	111.012						109.304		
			111.902	111.597	111.018	111.520	111.524	111.490	111.625	109.307	109.797		

OPTIONAL Installation Accessories for Bidet Seats

	Water supply hose for bidet seat for Kappa and Omega Concealed Tank pre-wall. For adding bidet seat to an installed carrier. For complete installation, must order with 249.801.00.1.	240.839.00.1	72.00			✓								
	Water supply hose for bidet seat for 111.597.00.1 and 111.798.00.1 carrier with Sigma Concealed Tank 2x4. For adding bidet seat to an installed carrier. For complete installation, must order with 249.801.00.1.	243.173.00.1	54.00		✓									
	Water supply hose for bidet seat add-on after finished installation of Sigma 2x6 and 2x4, Kappa and Omega Concealed Tanks.	249.801.00.1	130.00	✓	✓	✓								


OPTIONAL Installation Accessories for Geberit Duofix Carrier Frames

	Frame to wall anchoring for 5.125"-7.875" (13-20 cm) thick unfinished pre-wall	111.013.00.1	27.00		✓									
	Frame to wall anchoring for 5.125"-7.875" (13-20 cm) thick unfinished pre-wall	111.815.00.1	39.00	✓		✓	✓	✓	✓	✓	✓			
	Frame to wall anchoring for 5.125"-7.875" (13-20 cm) thick unfinished pre-wall corner installations	111.835.00.1	39.00	✓	✓	✓	✓	✓	✓	✓	✓			
	Support brackets for wall-hung toilets with small contact surface (thin profiles)	111.847.00.1	54.00	✓		✓								
	Fire protection set for Sigma Concealed Tank 90 min. fire resistance to DIN EN 1364-1:1999-10	111.863.00.1	586.00	✓										
	Frame to wall anchoring where foot installations into floor are not allowed for 5.125"-9.50" (13-24 cm)	111.064.00.1	74.00	✓	✓	✓	✓	✓	✓	✓	✓			
	Fastening set for sinks with 14.9"-22.8" (38-58 cm) mounting centers	111.868.00.1	128.00							✓				
	Frame to stud fastening set for extended stud spacing from 19.75"-25.56" (50-65 cm)	111.869.00.1	39.00	✓	✓	✓	✓	✓	✓	✓	✓			
	Frame to wall anchoring extensions for 7.875"-15.75" (20-40 cm) thick (unfinished pre-wall)	111.887.00.1	17.00	✓	✓	✓	✓	✓	✓	✓	✓			
	Crossbar for inlet 1/2" thread	242.042.00.1	121.00									✓		
	Retrofit adapter for inlet, 1/2" thread	242.309.00.1	121.00									✓		
	Elbow supply fitting set, Gun Metal	465.034.00.2	42.00				✓	✓	✓					

The information contained in this document is subject to change without notice.

GEBERIT SYSTEM ACCESSORIES

Geberit Optional and Required Accessories for Installation



Description	Model Number	List Price \$	111.335	111.798	111.012	111.520	111.524	111.490	111.625	109.304	109.307	109.797
			111.902	111.597	111.018					109.307		


OPTIONAL Installation Waste Fitting Accessories

	PP connector set with bend for floor-mount toilets with mounting hardware, 1 x 90° bends with socket for Ø4.375" (Ø110 mm) push fit piping for Ø3.82"-4.21" (Ø97-107 mm) male connection and expansion to Ø4.375" (Ø110 mm) outlet	152.647.00.1	128.00								✓ (For A or B discharge. See below)	✓
	HDPE waste fitting outlet bend, 1 x 90° bend with socket for Ø3.50" (Ø90 mm) push fit piping and Ø3.50" (Ø90 mm) outlet	366.061.16.1	25.00								✓ (For A discharge. See below)	✓
	HDPE straight connector with socket for Ø3.50" (Ø90 mm) push fit piping and Ø3.50" (Ø90 mm) outlet x 12" (31 cm) long	366.887.16.1	39.00	✓	✓	✓					✓ (For A discharge. See below)	✓
	HDPE connector with offset for LH horizontal drain connections (as viewed from sitting position), 1 x 90° bend with socket for Ø3.50" (Ø90 mm) push fit piping, with 45° offset and Ø3.50" (Ø90 mm) outlet for 5.5" (13.97 cm) minimum walls only.	366.913.16.1	83.00	✓	✓	✓					✓ (For A discharge. See below)	✓
	HDPE connector with offset for RH horizontal drain connections (as viewed from sitting position), 1 x 90° bend with socket for Ø3.50" (Ø90 mm) push fit piping, with 45° offset and Ø3.50" (Ø90 mm) outlet for 5.5" (13.97 cm) minimum walls only.	366.914.16.1	83.00	✓	✓	✓					✓ (For A discharge. See below)	✓
	Cast iron fitting; 90° 3.5" (90 mm) inlet, 3" outlet, 2" NPTF heel outlet	367.072.18.1	251.00	✓	✓	✓					✓ (For A discharge. See below)	✓
	HDPE "Back-to-back" connector for horizontal drain connections; 2 x 90° bends with sockets for Ø3.50" (Ø90 mm) push fit piping, with 45° offset and expansion to Ø4.375" (Ø110 mm) outlet for 10.75" (27.31 cm) minimum walls only.	367.485.16.1	170.00	✓	✓	✓					✓ (For A or B discharge. See below)	✓
	HDPE "Back-to-back" connector for vertical drain connections; 2 x 90° bends with sockets for Ø3.50" (Ø90 mm) push fit piping and expansion to Ø4.375" (Ø110 mm) outlet for 10.75" (27.31 cm) minimum walls only.	367.923.16.1	166.00	✓	✓	✓					✓ (For A or B discharge. See below)	✓

Note: Any of these fittings in combination with Geberit installation systems are cUPC and IPC listed.

Waste Fitting Discharge Configurations for Floor Mount Back Outlet Toilets

Note: Mounting collar/clamp by installer



A. Floor-Mount Rear Discharge into Wall

B. Floor-Mount Rear Discharge into Floor

The information contained in this document is subject to change without notice.